

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	((("6555779") or ("20030038120") or ("4475788") or ("6608285"))). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/02 15:22
L2	21606	((228/8-12,102-105,19,25,36,40, 259,260,214,218-220,234.1, 244-247) or (219/121.64,121. 11-121.14,121.6,121.63,137R, 136,137.2,137.42,121.44-121.46, 121.51-121.53,121.59)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/02 15:45
L3	4699	laser and (filler or electrode) near wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:46
L4	4699	(2 or 3) and laser and (filler or electrode) near wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:46
L5	2009	4 and (head or bondhead or bond ajd head or laser near (head or tip))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:50
L6	371	5 and (gas or gas\$4 or inert or nitrogen or n2 or "n.sub.2" or helium or he or argon) near (inject\$4 or eject\$4 or blow\$4 or flow\$4 or pass or passing or passage or passage\$4 or port or outlet or nozzle or pipe or tube or piping or tubular or tubing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:50
L7	2033	4 and (head or bondhead or bond ajd head or (weld\$4 or laser) near (head or tip))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:52

EAST Search History

L8	375	7 and (gas or gas\$4 or inert or nitrogen or n2 or "n.sub.2" or helium or he or argon) near (inject\$4 or eject\$4 or blow\$4 or flow\$4 or pass or passing or passage or passage\$4 or port or outlet or nozzle or pipe or tube or piping or tubular or tubing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:50
L9	31	8 and (head or bondhead or bond ajd head or (weld\$4 or laser) near (head or tip)) near (align or position or align\$6 or position\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:10
L10	8	9 and (head or bondhead or bond ajd head or (weld\$4 or laser) near (head or tip) or align or position or align\$6 or position\$4) near (micrometric or table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:54
L11	91	8 and (YAG or CO2 or carbon adj dioxide or "co.sub.2") near laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:55
L12	8	11 and ("mig" or "mag" or "gmaw")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:55
L13	348	8 and (gap or bevel or bevel\$4 or chamfer or chamfer\$4 or angle or angl\$4 or groove or groov\$4 or channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:55
L14	10	13 and (baffle or perforat\$4) near (plate or shield)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:56
L15	31	8 and (head or bondhead or bond ajd head or (weld\$4 or laser) near (head or tip)) near (align or position or align\$6 or position\$4 or lower\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:10

EAST Search History

L16	0	15 and (molten or solder or weld\$4) near (pool)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:12
L17	22	8 and (molten or solder or weld\$4) near (pool)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:12